



**PT KARYA
EVEREST PACIFIC**

Entrance Matting System

02

产品简介

美硕防尘地垫采用高品质铝合金材料制成，结构坚固耐用，长期使用不易变形和生锈，持久耐用；表面覆盖有耐磨材料，高强耐磨的尼龙短纤维毯面，藏污纳垢，吸收水分，还可搭配橡胶和毛刷，提高刮擦效率，在有效防止鞋底带入的灰尘和污垢进入室内的同时具备良好的防滑性能，保障了行人安全；支持多种安装方式，可根据您的需求选择嵌入式或表面安装，安装过程简单便捷，大大节省了施工时间；款式多样，美硕针对各种应用场所，推出了多种型号的地垫，可以根据您的需求选择最适合的地垫型号；所有产品采用环保材料制造，无毒无味，对室内空气无污染，确保您的生活环境健康。

美硕防尘地垫是您打造清洁、舒适环境的理想选择。

Meishuo aluminum entrance mats are designed to provide a durable and effective solution for maintaining clean and safe entryways in commercial and high-traffic areas. These mats are constructed using high-quality aluminum materials and are specifically engineered to withstand heavy foot traffic while effectively trapping dirt, moisture, and debris.



03

入口地垫的重要性

Soil and moisture control

Entrance mats effectively trap dirt, soil, mud, and moisture from footwear, preventing these elements from being tracked indoors. This helps maintain cleaner indoor spaces and minimizes the need for constant cleaning.

Safety and Slip Resistance

Mats provide a slip-resistant surface, reducing the risk of slip and fall accidents, especially in areas prone to wet or slippery conditions.

Protection of Indoor Flooring

By trapping debris and moisture, entrance mats protect the underlying indoor flooring, extending its lifespan and reducing maintenance costs.

Cost Savings

Effective use of entrance mats can lead to substantial cost savings by reducing cleaning and maintenance expenses, as well as prolonging the lifespan of indoor flooring.



04

如何选择合适的地垫

人流量的数量及其类型

行人的数量以及轮式交通的频率和载重将决定所需要的地垫类型。

Application Volume & Type of Traffic

The volume of foot traffc as well as both the frequency and load weight of wheeled traffc will determine the type of mat required.

Foot Traffic



Heavy

Examples - railway station, stadiums, airports, shopping centres, large hospitals, supermarkets & department stores

More than 5,000 crossings per day



Medium

Examples - offices, hospitals, schools, high street shops & hotels

More than 500 crossings per day

Wheeled Traffic

Typical types of wheeled traffic



Severe
(250kg)



Forklift Truck



Cherry Picker



Heavy
(150kg)



Pallet Truck



Retail Cage



Medium
(100kg)



Shopping Trolley



Box Truck



Baggage Trolley



Light
(50kg)



Shopping Trolley



Suitcase




Wheelchair

05

产品介绍

Carpet/Rubber/Brush





MS-600

产品描述	铝材:ASTM6063-T5/壁厚:1mm/总高度:22mm/连接方式:钢丝绳/表面处理:标准的光面氧化
Product Description	Aluminum material: ASTM6063-T5/Wall thickness: 1mm/Total height :22mm/ Connection: Steel wire cable/Finish: Mill finish as standard
产品特性	承重性能中等/凹槽安装或者表面安装/表面材料可为地毯、橡胶、毛刷/可卷起, 方便清洁铺垫槽/垂直或斜框架可用
Product Features	Able to withstand Medium traffic /Recess or surface mounted options/Surface material can be carpet, rubber, brush/Rolls up for easy matwell cleaning/Vertical or bevel frame are available
适用于	小型写字楼、小型商场、学校、工厂

Suitable For

small office buildings, small shopping malls, schools and factories






MS-660

产品描述	铝材:ASTM6063-T5/壁厚:2mm/总高度:22mm/连接方式:钢丝绳/表面处理:标准的光面氧化
Product Description	Aluminum material: ASTM6063-T5/Wall thickness: 2mm/Total height: 22mm/Connection: Steel wire cable/Finish: Mill finish as standard
产品特性	承重能力好/凹槽安装或者表面安装/表面材料可为地毯、橡胶、毛刷/可卷起, 方便清洁铺垫槽/垂直或斜角框架可用
Product Features	Able to withstand Heavy traffic/Recess or surface mounted options/Surface material can be carpet, rubber, brush/Rolls up for easy matwell cleaning/Vertical or bevel frame are available
适用于	商业写字楼、购物中心、酒店、汽车旅馆、机场、学校等

Suitable For Commercial office buildings, shopping centres, hotels, motels, airports, schools, etc






MS-680

产品描述	铝材:ASTM6063-T5/壁厚:1.4mm/总高度:22mm/连接方式:钢丝绳/表面处理:标准的光面氧化 Aluminum material: ASTM6063-T5/Wall thickness: 1.4mm/Total height: 22mm/
Product Description	Connection: Steel wire cable/Finish: Mill finish as standard
产品特性	承重能力好/凹槽安装或者表面安装/表面材料可为地毯、橡胶、毛刷/可卷起, 方便清洁铺垫槽/垂直或斜角框架可用
Product Features	Able to withstand Heavy traffic/Recess or surface mounted options/Surface material can be carpet, rubber, brush/Rolls up for easy matwell cleaning/Vertical or bevel frame are available
适用于	小型写字楼、小型商场、学校、工厂

Suitable For small office buildings, small shopping malls, schools and factories






MS-880

产品描述	铝材:ASTM6063-T5/壁厚:2mm/总高度:23mm/连接方式:EPDM胶条/表面处理:标准的光面氧化
Product Description	ASTM6063-T5/Wall thickness: 2mm/Total height: 23mm/Connection: EPDM Rubber Strip/Finish: Mill finish as standard
产品特性	承重能力好/凹槽安装/表面材料可为地毯或橡胶/可卷起, 方便清洁铺垫槽/垂直或斜角框架可用
Product Features	Able to withstand Heavy traffic /Recess mounted /Surface material can be carpet or rubber/ Rolls up for easy matwell cleaning/Vertical or bevel frame are available
适用于	商业写字楼、购物中心、酒店、汽车旅馆、机场、学校等

Suitable For Commercial office buildings, shopping centres, hotels, motels, airports, schools, etc







MS-890

产品描述	铝材:ASTM6063-T5/壁厚:2mm/总高度:23mm/连接方式:卡扣式铝基座/表面处理:标准的光面氧化
Product Description	Aluminum material: ASTM6063-T5/Wall thickness: 2mm/Total height: 23mm/Connection: Interlocking Aluminum Base/Finish: Mill finish as standard
产品特性	承重能力中等/凹槽安装/灵活的卡扣式互锁结构/广泛的颜色选择/外型美观, 降噪效果好
Product Features	Able to withstand Medium traffic /Recess mounted /Flexible interlocking system/ Wide range of color options /Enhances appearance and acoustics
适用于	小型写字楼、小型商场、学校、工厂

Suitable For *small office buildings, small shopping malls, schools and factories*






MS-900

产品描述	铝材:ASTM6063-T5/壁厚:2mm/总高度:17mm/连接方式:EPDM胶条/表面处理:标准的光面氧化
Product Description	Aluminum material: ASTM6063-T5/Wall thickness: 2mm/Total height: 17mm/Connection: EPDM Rubber Strip/Finish: Mill finish as standard
产品特性	承重能力好/凹槽安装/表面材料可为地毯或橡胶/可卷起, 方便清洁铺垫槽/外型美观, 降噪效果好
Product Features	Able to withstand Heavy traffic /Recess mounted/Surface material can be carpet or rubber/ Rolls up for easy matwell cleaning/Enhances appearance and acoustics
适用于	商业办公楼、购物中心、酒店、汽车旅馆、机场、学校等

Suitable For Commercial office buildings, shopping centres, hotels, motels, airports, schools, etc







MS-960

产品描述	铝材:ASTM6063-T5/壁厚:1.3mm/总高度:12mm/连接方式:卡扣式铝基座/表面处理:标准的光面氧化
Product Description	Aluminum material: ASTM6063-T5/Wall thickness: 1.3mm/Total height: 12mm/Connection: Interlocking Aluminum Base/Finish: Mill finish as standard
产品特性	承重能力中等/凹槽安装/灵活的卡扣式互锁结构/广泛的颜色选择/外型美观, 降噪效果好
Product Features	Able to withstand Medium traffic/Recess mounted/Flexible interlockingsystem/Wide range of color options/Enhances appearance and acoustics
适用于	小型办公楼、小型购物中心、学校和工厂

Suitable For *small office buildings, small shopping malls, schools and factories*






MS-980

产品描述	铝材:ASTM6063-T5/壁厚:2mm/总高度:13.2mm/连接方式:卡扣式铝基座/表面处理:标准的光面氧化
Product Description	Aluminum material: ASTM6063-T5/Wall thickness: 2mm/Total height: 13.2mm/Connection: Interlocking Aluminum Base/Finish: Mill finish as standard
产品特性	承重能力中等/凹槽安装/灵活的卡扣式互锁结构/广泛的颜色选择/外型美观, 降噪效果好
Product Features	Able to withstand Medium traffic/Recess mounted/Flexible interlocking system/Wide range of color options/Enhances appearance and acoustics
适用于	小型办公楼、小型购物中心、学校和工厂

Suitable For *small office buildings, small shopping malls, schools and factories*






MS-990

产品描述	铝材:ASTM6063-T5/壁厚:2mm/总高度:13mm/连接方式:EPDM胶条/表面处理:标准的光面氧化
Product Description	Aluminum material: ASTM6063-T5/Wall thickness: 2mm/Total height: 13mm/Connection: EPDM Rubber Strip/Finish: Mill finish as standard
产品特性	承重能力中等/凹槽安装/可卷起, 方便清洁铺垫槽/广泛的颜色选择/外型美观, 降噪效果好
Product Features	Able to withstand Medium traffic/Recess mounted/Rolls up for easy matwell cleaning/Wide range of color options/Enhances appearance and acoustics
适用于	小型办公楼、小型购物中心、学校和工厂

Suitable For *small office buildings, small shopping malls, schools and factories*








MS-750

产品描述	铝材:ASTM6063-T5/壁厚:1.4mm/总高度:22mm/连接方式:钢丝绳/表面处理:标准的光面氧化
Product Description	Aluminum material: ASTM6063-T5/Wall thickness: 1.4mm/Total height: 22mm/Connection: Steel wire cable/Finish: Mill finish as standard
产品特性	承重性能好/凹槽安装或者表面安装/表面材料可为地毯或橡胶/可卷起，方便清洁铺垫槽/垂直或斜角框架可用
Product Features	Able to withstand Heavy traffic/Recess or surface mounted options/Surface material can be carpet or rubber/Rolls up for easy matwell cleaning/Vertical or bevel frame are available
适用于	商业办公楼、购物中心、酒店、汽车旅馆、机场、学校等

Suitable For Commercial office buildings, shopping centres, hotels, motels, airports, schools, etc







MS-780

产品描述	铝材:ASTM6063-T5/壁厚:1.54mm/总高度:34mm/连接方式: 铝框/表面处理:标准的光面氧化
Product Description	Aluminum material: ASTM6063-T5/Wall thickness: 1.54mm/Total height: 34mm/Connection: Aluminum frame/Finish: Mill finish as standard
产品特性	承重性能好/凹槽安装/表面材料可为地毯或金刚砂/广泛的颜色选择/外型美观, 降噪效果好
Product Features	Able to withstand ultra-high traffic/Recess mounted/Surface material can be carpet or carborundum/Wide range of color options/Enhances appearance and acousticss
适用于	机场、火车站、大型超市

Suitable For Airports, railway stations,supermarkets with heavy wheeled traffic






MS-790

产品描述	铝材:ASTM6063-T5/壁厚:3mm/总高度:41mm/连接方式:铝框/凹槽安装/表面处理:标准的光面氧化
Product Description	Aluminum material: ASTM6063-T5/Wall thickness: 3mm/Total height: 41mm/Connection: Aluminum Frame/Finish: Mill finish as standard
产品特性	承重性能好/凹槽安装/模块化系统, 可以最大限度地减少磨损/广泛的颜色选择/外型美观, 降噪效果好
Product Features	Able to withstand Heavy traffic/Recess mounted/Modular system to maximise wear/Wide range of color options/Enhances appearance and acoust
适用于	商业写字楼、购物中心、酒店、汽车旅馆、机场、学校等

Suitable For *Commercial office buildings, shopping centres, hotels, motels, airports, schools, etc*






MS-810

产品描述	铝材:ASTM6063-T5/壁厚:3mm/总高度:20mm/连接方式:EPDM胶条/表面处理:标准的光面氧化
Product Description	Aluminum material: ASTM6063-T5/Wall thickness: 3mm/Total height: 20mm/Connection: EPDM Rubber Strip/Finish: Mill finish as standard
产品特性	承重性能好/凹槽安装/表面材料可为地毯、橡胶、毛刷/可卷起, 方便清洁铺垫槽/垂直或斜角框架可用
Product Features	Able to withstand Heavy traffic/Recess mounted/Surface material can be carpet, rubber, brush/Rolls up for easy matwell cleaning/Vertical or bevel frame are available
适用于	商业写字楼、购物中心、酒店、汽车旅馆、机场、学校等

Suitable For Commercial office buildings, shopping centres, hotels, motels, airports, schools, etc





MS-840

产品描述	铝材:ASTM6063-T5/壁厚:1.6mm/总高度:16.2mm/连接方式:钢丝绳/表面处理:标准的光面氧化
Product Description	Aluminum material: ASTM6063-T5/Wall thickness: 1.6mm/Total height: 16.2mm/Connection: Steel wire cable/Finish: Mill finish as standard
产品特性	承重性能好/凹槽安装或者表面安装/表面材料可为地毯或橡胶/可卷起，方便清洁铺垫槽/斜角框架可用
Product Features	Able to withstand Heavy traffic/Recess or surface mounted options/Surface material can be carpet or rubber/Rolls up for easy matwell cleaning/Bevel frame are available
适用于	商业写字楼、购物中心、酒店、汽车旅馆、机场、学校等

Suitable For Commercial office buildings, shopping centres, hotels, motels, airports, schools, etc



06

配件

框架

Frame



Vertical
(All models are available)



Bevel
(Available for MS600, MS660, MS680, MS750, MS840)

毯面颜色


Carpet Colour




Anthracite



Steel



Red



Tobacco



Sisal



Beige

Cleaning the surface

- Vacuum the system's surface regularly with Vacuum cleaner.
- Deep clean your system using a hot water extractor and household detergent once each year at a minimum, or whenever is most appropriate given traffic volume and debris levels.

Cleaning the aluminum rails

- Use water, household detergent and a stiff nylon brush.
- Scrub parallel with the rails to removed caked-in dirt.

Cleaning underneath the unit

- Roll the unit back or remove modules to vacuum the dirt collection.
- Dirt should be removed with a shop vacuum cleaner and should not reach excessive buildup.

For units with carpet inserts

- Vacuum the unit with a beater brush attachment.
- For ground-in dirt showing in high-traffic areas: add one cup of bleach per gallon of warm water and use a stiff nylon bristle brush to pre-treat the carpet fibers before shampooing.
- Hot water extraction is also useful for removing deep, ground-in dirt.
- Warning: the aggressive texture of the carpet inserts may allow for excessive lint build-up. Be sure to avoid mops or cloth material on mats and grids with carpet inserts.
- Remove gum or other sticky substances by applying a commercial freeze spray to the affected areas.
- Replacement carpet inserts are available.

For units with recycled rubber inserts

- Use a soft nylon brush or microfiber mop along with water and household soap to clean the recycled rubber surface.

For units with carborundum inserts

- Clean inserts with a basic household detergent and a stiff nylon brush. Increase your cleaner's potency if the stains persist.



